

CLAIMS

1. A thermoplastic polyester resin composition comprising 95 to 55% by weight of a thermoplastic polyester resin (A), 0.2 to 50% by weight of an inorganic filler (B), and 0.5 to 5 9% by weight of a polyorganosiloxane-containing graft polymer (C).

2. The thermoplastic polyester resin composition according to claim 1, wherein the polyorganosiloxane-containing graft polymer (C) is prepared by polymerizing 0 10 to 10 parts by weight of monomers (d) including 100 to 50% by weight of a polyfunctional monomer (b) containing two or more polymerizable unsaturated bonds in its molecule and 0 to 50% by weight of another copolymerizable vinyl monomer (c) in the presence of 30 to 95 parts by weight of 15 polyorganosiloxane (a), and then further polymerizing 5 to 70 parts by weight of a vinyl monomer (e) (100 parts by weight in total of (a), (d), and (e)).

3. The thermoplastic polyester resin composition according to claim 1, wherein the polyorganosiloxane- 20 containing graft polymer (C) is prepared by polymerizing 0.5 to 10 parts by weight of monomers (d) including 100 to 50% by weight of a polyfunctional monomer (b) containing two or more polymerizable unsaturated bonds in its molecule and 0 to 50% by weight of another copolymerizable vinyl monomer 25 (c) in the presence of 30 to 95 parts by weight of

polyorganosiloxane (a), and then further polymerizing 5 to 70 parts by weight of a vinyl monomer (e) (100 parts by weight in total of (a), (d), and (e)).

4. The thermoplastic polyester resin composition
5 according to any one of claims 1 to 3, wherein the vinyl monomer (e) contains an epoxy group-containing monomer.